

CALL FOR INSPECTION FOR THE ASTRO AND CANYON GUIDE HARNESSES

Request for inspection of ASTRO and CANYON GUIDE harnesses following the detection of a defect on the gated opening attachment point of an ASTRO harness. Due to the risk of unintentional opening of this attachment point, which could result in a life-threatening situation, we ask you to stop any use of these harnesses and to carry out immediately the following inspection.

OCTOBER 25 2023 CURRENT

Last update : OCTOBER 26 2023



ASTRO BOD FAST



ASTRO SIT FAST




CANYON GUIDE

References concerned by this request for inspection


| Product name | Picture | References | Serial numbers concerned |
|--------------|---------|------------|--------------------------|
|--------------|---------|------------|--------------------------|

| VERTICALITY | LIGHTING | TECH TIPS | COMMUNITY | SAFETY ALERTS | Search |
|---|---|-----------|-----------|--|---|
| ASTRO BOD FAST european version |  | | | C083AA00 C083AA01 C083AA02 | All serial numbers up to 23J 00000000 000 included |
| ASTRO BOD FAST international version |  | | | C083BA00 C083BA01 C083BA02 C083BA03 C083BA04 C083BA05 | All serial numbers up to 23J 00000000 000 included |
| ASTRO SIT FAST |  | | | C085AA00 C085AA01 C085AA02 | All serial numbers up to 23J 00000000 000 included |
| CANYON GUIDE |  | | | C086BA00 C086BA01 | All serial numbers up to 23J 00000000 000 included |

Origin and consequences of the defect




Components of the gated ventral attachment point:




The defect is due to a poor machining process of the metal D. This can cause the pin to slide completely sideways, despite the presence of the 2 screws. This situation presents a risk of death due to strangulation or falling from a height.

Inspection procedure

| ASTRO BOD FAST ASTRO SIT FAST | CANYON GUIDE |
|---|---|
| <p>1) Prepare for the test:</p> <p>- In accordance with the instructions for use, check that the 2 screws are present and correctly installed.</p> | <p>1) Prepare for the test:</p> <p>In accordance with the instructions for use, check that the 2 screws are present and correctly installed.</p> |



- Remove any accessories mounted in the shackle connection holes.



2) Perform the test below:



NB : A manual pressure is enough.



2) Perform the test below:



NB : A manual pressure is enough.

The pin does not slide completely (a few mm of functional play is normal):



The pin slides out completely (it can be removed by hand):



The pin does not slide completely (a few mm of functional play is normal):



The pin slides out completely (it can be removed by hand):



| | | | |
|--------------------|--------|--------------------|--------|
| ✔ Compliant result | result | ✔ Compliant result | result |
|--------------------|--------|--------------------|--------|

3) Test assessment:

A) ✔ Compliant result

1. Your product is not affected by this defect. You can resume using (or reselling) your harness in accordance with its instructions for use.

2. Fill in the form below to enable us to follow the progress of this request for inspection:

Declaration form

B) ✖ Non-compliant result

1. Isolate the metal D.

2. Do not use this harness.

3. Quarantine it.

4. Contact your local Petzl **after-sales service via the contact form**. Our after-sales service will then contact you with terms and conditions of care.


C) If you have any doubts about how to perform the test

Please **contact your local after-sales service**.

FAQ - Frequently Asked Questions

Where can I find the serial number of my harness?

The serial number is located on the plastic label inside the belt.



Do I have to dismantle my gated ventral attachment point to perform this inspection?
No.

I have a lanyard installed on my harness. Do I have to dismantle it?
No.

Do I need to check that the screws are tightened to the correct torque?
No, for this inspection, torque has no impact.

I've never used my harness, do I need to inspect it?
Yes.

I'm already using my harness, do I need to inspect it?
Yes.

Have there been any injuries with the products affected by this information?
To date, no injuries have been reported.


Subscribe to the newsletter
and stay connected to our news

Email*


OK

VERTICALITY LIGHTING TECH TIPS COMMUNITY SAFETY ALERTS Search


Join the community!




@PETZL_OFFICIAL




PETZL




PETZL
PROFESSIONAL




PETZL SPORT




PETZL



PETZL
PROFESSIONAL



@PETZLRUNNING



PETZL
NIGHT RUNNING

WHO WE ARE

- About Petzl
- Petzl Foundation
- Petzl Solutions

OTHER PETZL SITES

- Operators
- Tactical Solutions

CONTACT US

Petzl International
international@petzl.com
+33 (0)4 76 92 09 20
[Contact Form](#)

Press access

- [Disclaimer](#)
- [Policy on personal data processing and cookie management](#)
- [Accessibility Declaration](#)

The activities depicted are inherently dangerous. All users must be trained and competent in the use of the equipment for these activities. Petzl contact Other

© 1995-2023 Petzl